Brain Research Bulletin, Vol. 58, No. 6, pp. 613–619, 2002
0361-9230/02/$–see front matter

ELSEVIER

PII: S0361-9230(02)00898-5

CONTENTS
VOLUME 58, 2002

CONTENTS VOLUME 58 NUMBER 1 MAY 2002

Articles

Maternal dietary docosahexanoic acid content affects the rat pup auditory system.
Haubner, L. Y., J. E. Stockard, M. D. Saste, V. J. Benford, C. P. Phelps, L. T. Chen, L. Barness, D. Wiener, and J. D. Carver 1

Sensitization does not develop to cocaine-induced potentiation of the antinociceptive effect of morphine.
Lutfy, K., and N. T. Maidment 7

Central nucleus of the amygdala and the control of tonic immobility in guinea pigs.
Leite-Panissi, C. R. A., and L. Menescal-de-Oliveira 13

Cutaneous vascular responses evoked by noxious stimulation in rats with the spinal nerve ligation-induced model of neuropathy.
Kauppila, T., V. K. Kontinen, H. Wei, E. Jyväsjärvi, and A. Pertovaara 21

Dynamic determination and possible mechanism of amino acid transmitter release from rat spinal dorsal horn induced by the venom and a neurotoxin (BmK I) of scorpion *Buthus martensi* Karsch.
Zhang, X.-Y., J.-W. Zhang, B. Chen, Z.-T. Bai, J. Shen, and Y.-H. Ji 27

Chemical preconditioning with 3-nitropropionic acid: Lack of induction of neuronal tolerance in gerbil hippocampus subjected to transient forebrain ischemia.
Garnier, P., N. Bertrand, C. Demougeot, A. Prigent-Tessier, C. Marie, and A. Beley 33

Impaired learning in a spatial working memory version and in a cued version of the water maze in rats with MPTP-induced mesencephalic dopaminergic lesions.
Miyoshi, E., S. Wietzikoski, M. Camplessei, R. Silveira, R. N. Takahashi, and C. Da Cunha 41

Changes of cortical epileptic afterdischarges under the influence of convulsant drugs.
Koryntová, H., H. Kubová, P. Tutka, and P. Mareš 49

Translocation of protein kinase C by halothane in cholinergic cells.
Gomez, R. S., J. Barbosa Jr., C. Guatimosim, A. R. Massensini, M. V. Gomez, and M. A. M. Prado 55

Systemic angiotensin II alters intrinsic heart rate through central mechanisms.
Bealer, S. L. 61

Glial fibrillary acidic protein immunodetection and immunoreactivity in the anterior and posterior medial amygdala of male and female rats.
Rasia-Filho, A. A., L. L. Xavier, P. dos Santos, G. Gehlen, and M. Achaval 67

Monoamine metabolism and sympathetic nervous activation following subarachnoid haemorrhage: Influence of gender and hydrocephalus.
Lambert, G., S. Naredi, E. Edén, B. Rydenhag, and P. Friberg 77

Volume expansion suppresses the tooth-pulp evoked jaw-opening reflex related activity of trigeminal neurons in rats.
Takeda, M., T. Tanimoto, T. Nishikawa, M. Ikeda, S. Yoshida, M. Ito, and S. Matsumoto 83

Evidence that toxicity of lipopolysaccharide upon cholinergic basal forebrain neurons requires the presence of glial cells *in vitro*.
Weis, C., and C. Humpel 91

Pregnenolone sulfate, dehydroepiandrosterone sulfate and allotetrahydrodeoxycorticosterone affect rapid tolerance to the hypothermic effect of ethanol.
Barbosa, A. D. E., and G. S. Morato 99

Medial versus lateral parabrachial nucleus lesions in the rat: Effects on mercaptoacetate-induced feeding and conditioned taste aversion.
Trifunovic, R., and S. Reilly 107

Epileptiform spikes desynchronize and diminish fast (gamma) activity of the brain. An "anti-binding" mechanism?
Medvedev, A. V. 115

Differential discharge patterns of rhythmical activity in trigeminal motoneurons during fictive mastication and respiration *in vitro*.
Koizumi, H., K. Ishihama, K. Nomura, T. Yamanishi, M. Kogo, and T. Matsuya 129

Effect of cognitive load on postural control.
Andersson, G., J. Hagman, R. Talianzadeh, A. Svedberg, and H. C. Larsen 135

Articles

Oxytocin induces long-term depression on the rat dentate gyrus: Possible ATPase and ectoprotein kinase mediation.
Dubrovsky, B., J. Harris, K. Gijsbers, and A. Tatarinov 141

Withdrawal from dependence upon butorphanol uniquely increases κ_1-opioid receptor binding in the rat brain.
Fan, L.-W., S. Tanaka, L.-T. Tien, T. Ma, R. W. Rockhold, and I. K. Ho 149

Neuropathic pain is associated with alterations of nitric oxide synthase immunoreactivity and catalytic activity in dorsal root ganglia and spinal dorsal horn.
Čížková, D., N. Lukáčová, M. Maršala, and J. Maršala 161

The regional distribution of nitric oxide synthase activity in the spinal cord of the dog.
Lukáčová, N., D. Čížková, M. Maršala, I. Lukáč, and J. Maršala 173

Effects of 192 IgG-saporin on acetylcholinesterase histochemistry in male and female rats.
Galani, R., H. Jeltsch, O. Lehmann, F. Bertrand, and J.-C. Cassel 179

Acute effects of amperozide and paroxetine on social cohesion in male conspecifics.
Rademacher, D. J., A. P. Anderson, and R. E. Steinpreis 187

A new easy accessible and low-cost method for screening olfactory sensitivity in mice: Behavioural and nociceptive response in male and female CD-1 mice upon exposure to millipede aversive odour.
Capone, F., M. Puopolo, I. Branchi, and E. Alleva 193

β-Amyloid-induced increase in the resting intracellular calcium concentration gives support to tell Alzheimer lymphocytes from control ones.
Palotás, A., J. Kálmán, M. Palotás, A. Juhász, Z. Janka, and B. Penke 203

Effects of androstenedione on long term potentiation in the rat dentate gyrus. Relevance for affective and degenerative diseases.
Schwartz, M., J. Harris, L. Chu, K. Gijsbers, and B. Dubrovsky 207

Comparisons between C57BL/6J and A/J mice in motor activity and coordination, hole-poking, and spatial learning.
Thifault, S., R. Lalonde, N. Sanon, and P. Hamet 213

Midbrain projecting dorsal column nucleus neurons in a reptile.
Pritz, M. B. 219

Effect of long-term aluminum feeding on kinetics attributes of tissue cholinesterases.
Dave, K. R., A. R. Syal, and S. S. Katyare 225

Disruption of astroglial interlaminar processes in Alzheimer's disease.
Colombo, J. A., B. Quinn, and V. Puissant 235

CONTENTS VOLUME 58 NUMBER 3 JULY 2002

Review

Separate, parallel sensory and hedonic pathways in the mammalian somatosensory system.
Sewards, T. V., and M. Sewards 243

Articles

Place-learning, but not cue-learning training, modifies the hippocampal theta rhythm in rats.
Olvera-Cortés, E., M. Cervantes, and I. González-Burgos 261

Sphingomyelinase and ceramide analogs induce vasoconstriction and leukocyte–endothelial interactions in cerebral venules in the intact rat brain: Insight into mechanisms and possible relation to brain injury and stroke.
Altura, B. M., A. Gebrewold, T. Zheng, and B. T. Altura 271

Behavioral responses to social stress in noradrenaline transporter knockout mice: Effects on social behavior and depression.
Haller, J., N. Bakos, R. M. Rodriguiz, M. G. Caron, W. C. Wetsel, and Z. Liposits 279

Cocaine modulates mu-opioid receptor mRNA but not c-*fos* mRNA levels in primary cortical astrocytes.
Festa, E. D., C. Cecala, V. Quinones-Jenab, and S. Jenab 285

Rate-independent inhibition of 5-HT release by 5-HT in the somadendritic regions of raphe neurons.
Kalsner, S., and S. A. Abdali 289

Effects of cocaine on c-*fos* and preprodynorphin mRNA levels in intact and ovariectomized Fischer rats.
Jenab, S., T. Niyomchai, J. Chin, E. D. Festa, S. J. Russo, L. I. Perrotti, and V. Quinones-Jenab . 295

Contribution of *N*-methyl-*d*-aspartate receptors in the anteroventral third ventricular region to vasopressin secretion, but not to cardiovascular responses provoked by hyperosmolality and prostaglandin E2 in conscious rats.
Yamaguchi, K., and K. Watanabe 301

Elevated plasma nociceptin level in patients with Wilson disease.
Hantos, M. B., F. Szalay, P. L. Lakatos, D. Hegedűs, G. Firneisz, J. Reiczigel, T. Török, and K. Tekes 311

Environmental influences on functional outcome after a cortical infarct in the rat.
Risedal, A., B. Mattsson, P. Dahlqvist, C. Nordborg, T. Olsson, and B. B. Johansson 315

Septal cholinergic mediation of hippocampal theta in the cat.
Gołębiewski, H., B. Eckersdorf, and J. Konopacki 323

Electrophysiological properties of the rat area postrema neurons displaying both the transient outward current and the hyperpolarization-activated inward current.
Funahashi, M., Y. Mitoh, and R. Matsuo 337

CONTENTS VOLUME 58 NUMBER 4 AUGUST 15, 2002

Articles

The SSRIs drug Fluoxetine, but not the noradrenergic tricyclic drug Desipramine, improves memory performance during acute major depression.
Levkovitz, Y., R. Caftori, A. Avital, and G. Richter-Levin 345

Effect of phenylephrine injected into the nucleus tractus solitarius of Sprague–Dawley rats and spontaneously hypertensive rats.
Tsukamoto, K., S. Ito, N. Katsunuma, M. Hiratsuka, Y. Masubuchi, T. Kanai, T. Kawabe, Y. Yajima, and K. Kanmatsuse 351

Response properties of periodontal mechanoreceptors in rats, *in vitro*.
Ishii, N., K. Soma, and K. Toda 357

Adrenalectomy abolishes the food-induced hypothalamic serotonin release in both normal and monosodium glutamate-obese rats.
Guimarães, R. B., M. M. Telles, V. B. O. Coelho, R. C. T. Mori, C. M. O. Nascimento, and E. B. Ribeiro 363

Discharge patterns evoked by depolarizing current injection in basal optic nucleus neurons of the pigeon.
Tang, Z.-X., and S.-R. Wang 371

Microinjection of procaine into the pedunculopontine tegmental nucleus suppresses hippocampal theta rhythm in urethane-anesthetized rats.
Nowacka, A., E. Jurkowlaniec, and W. Trojniar 377

Developmental expression and activity variation of nitric oxide synthase in the brain of golden hamster.
Zhang, Y.-t., D.-l. Zhang, Y.-l. Cao, and B.-l. Zhao 385

Mu-opioid receptors in seizure-controlling brain structures are altered by prenatal morphine exposure and by male and female gonadal steroids in adult rats.
Šlamberová, R., Á. Rimanóczy, M. A. Riley, C. J. Schindler, and I. Vathy 391

Serotonin-stimulated glutamate release from an SCN explant culture was higher during light period.
Isobe, Y., and K. Nishihara 401

Effects of interleukin-1β on the steroid-induced luteinizing hormone surge: Role of norepinephrine in the medial preoptic area.
MohanKumar, S. M. J., and P. S. MohanKumar 405

The effect of corpus callosum agenesis on neocortical thickness and neuronal density of BALB/cCF mice.
Abreu-Villaça, Y., W. C. Silva, A. C. Manhães, and S. L. Schmidt 411

Alterations of the neocortical GABAergic system in the pilocarpine model of temporal lobe epilepsy: Neuronal damage and immunocytochemical changes in chronic epileptic rats.
Silva, A. V., E. R. G. Sanabria, E. A. Cavalheiro, and R. Spreafico 417

Increased levels of 3-hydroxykynurenine in different brain regions of rats with chronic renal insufficiency.
Topczewska-Bruns, J., D. Pawlak, E. Chabielska, A. Tankiewicz, and W. Buczko 423

MR atlas of the baboon brain for functional neuroimaging.
Greer, P.J., V. L. Villemagne, J. Ruszkiewicz, A. K. Graves, C. C. Meltzer, C. A. Mathis, and J. C. Price 429

Differential distribution of nerve fibers immunoreactive for substance P and calcitonin gene-related peptide in the superficial and deep muscle layers of the dorsum of the rat.
Tsukagoshi, M., K. Funakoshi, R. C. Goris, and R. Kishida 439

CONTENTS VOLUME 58 NUMBER 5 SEPTEMBER 15, 2002

Articles

Alternative splicing of the $GABA_A$ receptor $\alpha 4$ subunit creates a severely truncated mRNA.
Mu, W., Q. Cheng, J. Yang, and D. R. Burt 447

Lesions of the lateral hypothalamus impair pilocarpine-induced salivation in rats.
Renzi, A., L. A. De Luca Jr., and J. V. Menani 455

Zn^{2+} modulates light responses of color-opponent bipolar and amacrine cells in the carp retina.
Luo, D.-G., G.-L. Li, and X.-L. Yang 461

Effects of maternal lead administration on monoaminergic, GABAergic and glutamatergic systems.
Leret, M. L., F. Garcia-Uceda, and M. T. Antonio 469

***In vivo* modulation of follicle-stimulating hormone release and β subunit gene expression by activin A and the GnRH agonist buserelin in female rats.**
Gajewska, A., G. Siawrys, I. Bogacka, J. Przala, Y. Lerrant, R. Counis, and K. Kochman 475

Cerebellar input to the posterior parietal cortex in the rat.
Giannetti, S., and M. Molinari 481

DNA array reveals altered gene expression in response to focal cerebral ischemia.
Kim, Y.-D., N. W. Sohn, C. Kang, and Y. Soh 491

Origins of $GABA_B$ receptor-like immunoreactive terminals in the rat spinal dorsal horn.
Yang, K., W.-L. Ma, Y.-P. Feng, Y.-X. Dong, and Y.-Q. Li 499

Glycosaminoglycan levels and proteoglycan expression are altered in the hippocampus of patients with mesial temporal lobe epilepsy.
Perosa, S. R., M. A. Porcionatto, A. Cukiert, J. R. M. Martins, C. C. Passeroti, D. Amado, S. L. A. Matas, H. B. Nader, E. A. Cavalheiro, J. P. Leite, and M. G. Naffah-Mazzacoratti 509

Differential involvement of amygdala and hippocampus in responding to novel objects and contexts.
Moses, S. N., R. J. Sutherland, and R. J. McDonald 517

CONTENTS VOLUME 58 NUMBER 6 SEPTEMBER 30, 2002

History of Neuroscience

Bartolomeo Panizza's *Observations on the optic nerve (1855).*
Colombo, M., A. Colombo, and C.G. Gross 529

Letter to the Editor

Pyridoxine sometimes fails to be activated to pyridoxal phosphate.
Wang, H.-S., and M.-F. Kuo 541

Reply to Letter to the Editor

Mueller, S. G., and H. G. Wieser 543

Editorial

Controversies and Letters to the Editor.
Dunnett, S. 545

Review

Clinical neurotransplantation: Core assessment protocol rather than sham surgery as control.
Boer, G. J., and H. Widner 547

Articles

tGLP-1 action on the isolated hypothalamo-neurohypophysial system under glutamate receptor blockade.
Bojanowska, E., and B. Stempniak 555

Differential effect of peripheral glutamate (NMDA, non-NMDA) receptor antagonists on bee venom-induced spontaneous nociception and sensitization.
You, H.-J., J. Chen, C. D. Morch, and L. Arendt-Nielsen 561

Depth amplitude and phase profiles of carbachol-induced theta in hippocampal formation slices.
Kowalczyk, T., and J. Konopacki 569

Effects of hypergravity on the morphological properties of the vestibular sensory epithelium. II. Life-long exposure of rats including embryogenesis.
Wubbels, R. J., J. van Marle, H. N. P. M. Sondag, and H. A. A. de Jong 575

Effects of hippocampal lesions on patterned motor learning in the rat.
Gould, T. J., W. B. Rowe, K. L. Heman, M. H. Mesches, D. A. Young, G. M. Rose, and P. C. Bickford 581

Protection of cultured oligodendrocytes against tumor necrosis factor-α by the antioxidants coenzyme Q_{10} and *N-acetyl cysteine.*
Cammer, W. 587

Serotonin potentiation of glycine-activated whole-cell currents in the superficial laminae neurons of the rat spinal dorsal horn is mediated by protein kinase C.
Li, H., J.-F. Kang, and Y.-Q. Li 593

The antinociceptive effect of mirtazapine in mice is mediated through serotonergic, noradrenergic and opioid mechanisms.
Schreiber, S., T. Rigai, Y. Katz, and C. G. Pick 601

Estradiol and progesterone modify microtubule associated protein 2 content in the rat hippocampus.
Reyna-Neyra, A., I. Camacho-Arroyo, P. Ferrera, and C. Arias 607

Volume 58 List of Contents 613

Author Index 621

Keyword Index 623